



# ASSEMBLY INSTRUCTIONS

Adult Assembly Required  
Save these instructions for future use


## MODEL #'s:

00830 - Ecru Waffle    00831 - Sage Waffle  
 00832 - Sage Toile    00833 - Sage Waffle  
 00834 - Ecru/Beige Gingham  
 00835 - White/Sage Gingham  
 00836 - Pink/White    00837 - Blue/White  
 00838 - Black Toile    00827 - White Eyelet  
 00829 - White Eyelet

**NAME:** Elegance™ Round Baby Bassinet with Bedding and Canopy

## TOOLS NEEDED:

Phillips Screwdriver  
 \* Power screwdriver is helpful  
 Pliers  
 Hammer




## BASE PARTS INCLUDED:

(A) 2 - End Panels  
 (B) 2 - Bottom Rails w/ Grooves  
 (C) 4 - Long Bolts  
 (D) 1 - Bottom Shelf  
 (E) 4 - Caster Wheels (includes:  
 4 wheels, 4 knobs, & 4 bolts)

## BASSINET & BEDDING

### PARTS INCLUDED:

(F) 4 - L-Brackets  
 (G1) 4 - Medium Bolts  
 (G2) 4 - Short Bolts  
 (H) 1 - Round Bassinet Body  
 (not shown)  
 (I) 1 - Fabric Skirt  
 (J) 1 - Canopy Pole with Curve/Bend (not as shown)  
 (K) 1 - Canopy Frame  
 (L) 1 - Fabric Canopy  
 (M) 1 - Fabric Bumper  
 (N) 1 - Fitted Fabric Sheet  
 (O) 1 - Round Mattress Pad (not shown)



Visit us online at [www.badgerbasket.com](http://www.badgerbasket.com)

Toll-Free Customer Service: 1-800-236-1310 (Monday to Thursday 7:30 AM-4:30 PM CST)  
 parts@badgerbasket.com

### PLANT AND GENERAL OFFICE:

PO Box 227, Edgar, WI 54426-0227 • Phone: 715-352-2311 Fax: 715-352-3163

### CORPORATE OFFICE:


111 Lions Dr., Suite 220, Barrington, IL 60010



**BEFORE YOU BEGIN ASSEMBLY:**

Ensure that all the parts and hardware listed are included. If anything is missing, please **DO NOT** call or return the product to the store. Please contact us for assistance. Your satisfaction with our product is important to us.

**NOTE:** Assemble the bassinet in the room where you intend to use it unless your doorways are wider than 33” (83.8 cm).



PICTURE 1

**STEP 1:** See PICTURE 1.

Assemble the bassinet stand as shown. Take ONE END PANEL (A) and attach the TWO BOTTOM RAILS WITH GROOVES (B) using TWO LONG BOLTS (C).

Be sure the grooves are facing inwards. Slide the BOTTOM SHELF (D) into the grooves with the white side facing up.

Attach the other END PANEL (A) to the TWO BOTTOM RAILS WITH GROOVES (B) using TWO LONG BOLTS (C).

**STEP 2:** See PICTURES 2A and 2B.

Turn the bassinet stand upside down.

Attach ONE CASTER WHEEL (E) to EACH LEG of the bassinet stand using ONE BOLT and ONE KNOB for each WHEEL. Tighten each wheel securely. The BASSINET STAND is now assembled.

**STEP 3:** See PICTURES 3A and 3B.

Locate the FOUR L-BRACKETS (F), FOUR MEDIUM BOLTS (G1), and FOUR SHORT BOLTS (G2) so you can bolt the ROUND BASSINET BODY (H) to the BASSINET STAND.


This step is easiest to do if you put the round bassinet body upside down on the floor, and then put the bassinet stand upside down on top of the bassinet body as shown in PICTURE 3B.

Line up the four holes on the END PANELS (A) with the four holes on the BASSINET BODY (H).

Position the L-BRACKETS (F) and secure them using the FOUR MEDIUM BOLTS (G1) for the end panels, and the FOUR SHORT BOLTS (G2) for the bassinet body.

**It is very important that you use G1 and G2 in the correct positions.**


**WARNING !! ATTENTION !!**  
Once the bassinet stand is assembled, it is not intended to be disassembled and reassembled for future use. Doing so may affect the stability and safety.




PICTURE 2A



PICTURE 2B



PICTURE 3A




PICTURE 4

**STEP 4:** See PICTURE 4.

With the bassinet in its correct, upright position, wrap the FABRIC SKIRT (I) around the LOWER rim of the ROUND BASSINET BODY (H) pressing the grip tape strips together as you go around. Begin at the rear center where the metal spindle is located. The ends of the skirt will meet at the starting point and overlap.

**STEP 5:** See PICTURE 5. **NOTE:** the METAL CANOPY POLE (J) has a slight bend in it by design so that the canopy drapes properly over the bassinet.

There are two holes in the metal spindle on the bassinet body so that you can adjust the height of the canopy. Choose the height you want. Insert the METAL CANOPY POLE (J) into the metal spindle on the bassinet body (H) and line up your chosen hole on the metal spindle with the push button on the canopy pole. Make sure the push button snaps into the hole and the canopy pole is held securely in position.



PICTURE 5


**STEP 6:** See PICTURE 6.

Grasp the two free ends of the CANOPY FRAME (K) and insert them into the top of the CANOPY POLE (J). Tap gently with a hammer until the ends of the frame are fully seated inside the pole.

Next, place the FABRIC CANOPY (L) onto the CANOPY FRAME (K) and tie it to the frame with the ribbons.



PICTURE 6



**STEP 7:** See **PICTURE 7**.

Position the **FABRIC BUMPER (M)** inside the **ROUND BASSINET BODY (H)**. Secure the tabs on the bumper to the thicker dowels and tie the ribbons, and then tie the remaining ribbons to the thinner dowels.

**NOTE: Be sure the bumper is secured and check the ribbons regularly to make sure they stay tied. Loose bedding can be a danger to your baby, so it's very important to make sure the ties and fabric tabs are used properly to secure the bumper.**

Put the **FABRIC FITTED SHEET (N)** onto the **ROUND MATTRESS PAD (O)** and place the sheet and pad inside the bassinet. Additional sheets are sold separately! Contact us or check our web site for more information or to find a retailer.

**STEP 8:** See **PICTURE 8**.

Adjust the skirt and canopy so they are positioned to your liking. **Check ALL OF THE HARDWARE to make sure everything is fully tightened. Carefully review the safety information below.** NOTE: Your bedding and canopy may vary in color, pattern, and/or style from what is shown here.

**CARE INSTRUCTIONS:** Wipe bassinet clean with a damp cloth and mild detergent as needed. Bedding can be machine washed on cold, gentle cycle, and air dried or tumble dry on low or no heat. Iron on lowest setting for poly/cotton.



**WARNING !! ATTENTION !!  
FOR YOUR CHILD'S SAFETY  
TO PREVENT SERIOUS  
INJURY OR DEATH:**

**FALL HAZARD:** To help prevent falls, please note this bassinet is a safe place for your newborn to sleep until Baby is **3-4 months** old, **20 lbs.** (9.09 kg), OR when Baby can **push up, roll over, or crawl** - **whichever limit comes first.**

- **DO NOT** use this bassinet if your baby exceeds any of the age, weight, or activity limits mentioned above. Baby could fall out and be seriously injured.
- **DO NOT** move the bassinet with your baby inside of it.
- **DO NOT** allow children or pets to hang on or pull on the bassinet. It could tip over and your baby could fall out.
- **DO NOT** attach or place toys with strings in or around the bassinet. Strings can cause strangulation or choking.
- **DO NOT** put loose bedding or stuffed animals into the bassinet that could cause suffocation.
- **Keep bassinet away** from stoves, heaters, camp fires, fireplaces, stairs, open windows, window blinds, wall hangings, running or standing water, and any other hazard which could cause injury to your baby.
- **NEVER** use plastic bags inside the bassinet such as to cover the mattress.
- **SUFFOCATION HAZARD:** to help prevent suffocation/entrapment, use only the mattress provided with the bassinet and never use pillows inside the bassinet. Use only sheets that come with the bassinet or are designed for the size of mattress provided. Infants can suffocate in gaps between extra padding and the side of the bassinet and on soft bedding. **NEVER** add a mattress, pillow, comforter, or padding. Use only the bedding provided by the manufacturer.
- **TO REDUCE THE RISK OF SIDS:** pediatricians recommend that healthy infants be placed on their backs to sleep, unless otherwise advised by your physician.

