



SLEIGH STYLE BABY CHANGING TABLE WITH DRAWER

MODEL NUMBERS:

02240 - White

02241 - Natural

02242 - Cherry



**Assembly
Instructions.**

**Adult Assembly
Required.**

**Save these
instructions for
future use.**

Visit us online at www.badgerbasket.com

Toll-Free Customer Service: 1-800-236-1310 (Monday through Thursday 7:30 AM to 4:30 PM CST)

Web: <http://www.badgerbasket.com/parts> • **E-mail:** parts1@badgerbasket.com

Mail: PO Box 227, Edgar, WI 54426-0227 • **Phone:** 715-352-2311 • **Fax:** 715-352-3163



BEFORE YOU BEGIN ASSEMBLY:

Check all parts and hardware. If anything is missing or not satisfactory, please **DO NOT** call the store where purchased or return the product to them. **Contact Badger Basket for assistance.** Most problems are resolved without you needing to leave home. When contacting us, please have this instruction manual, your product model number, and your product version code ready.

For fastest service, go to
<http://www.badgerbasket.com/parts>
Your Product Version Code is: 2.0/1008/TG

USE AND CARE INSTRUCTIONS:

Wipe the table, pad, and safety belt clean with a damp cloth and mild soap as needed.



WARNING - FAILURE TO FOLLOW THESE WARNINGS AND THE INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH

READ ALL INSTRUCTIONS before use of this changing table. Keep instructions for future use. **Choking Hazard!** Keep unassembled parts out of the reach of small children. Use only the parts, hardware, and changing pad provided by Badger Basket. Do not use the changing table if it is damaged or broken.

FALL HAZARD - To prevent death or serious injury, always keep baby within arm's reach. **NEVER** leave your baby unattended, not even for a moment, when you are changing Baby's diaper.

ALWAYS use the safety belt provided; and as an extra precaution keep at least one hand on your baby at all times. **DO NOT** allow any children to climb or play on the table. **Periodically check** to make sure all the bolts and screws remain tight and that the drawer is properly aligned in its tracks. **NEVER** load the drawer with items weighing more than a total of five (5) pounds (2.3 kg). **NEVER** lean on the drawer when it's open and never use the drawer as a surface for changing your baby.

This table is suitable for use with children weighing up to 30 lbs. (13.64 kg).

PARTS AND HARDWARE:

TOOLS NEEDED (not included):

Phillips Screwdriver
Standard Screwdriver

Power driver is helpful but be careful not to damage the product.

TABLE PARTS INCLUDED:

- (A1) 1 - Right Outside Drawer Track
- (A2) 1 - Left Outside Drawer Track
- (B1) 1 - Right End Panel
- (B2) 1 - Left End Panel
- (C) 6 - ½" Screws
- (D) 16 - Black Pegs
- (E) 2 - Top Rails
- (F1) 2 - Top Shelf Rails**
- (F2) 4 - Middle/Lower Shelf Rails
- (G) 16 - 1¾" Bolts
- (H1) 1 - Top Shelf Panel**
(not shown)
- (H2) 2 - Middle/Lower Shelf Panels
(not shown)
- (I) 1 - Safety Belt
- (J) 1 - Metal Support Bar
- (K) 2 - 5/8" Screws
- (L) 1 - Mattress Pad (not shown)

DRAWER PARTS INCLUDED:




- (M) 4 - Metal Pins
- (N) 1 - Left Side Panel
- (O) 1 - Right Side Panel
- (P) 1 - Back Panel
- (Q) 4 - Round Metal Cams
- (R) 1 - Bottom Panel
- (S) 1 - Front Panel
- (T1) 1 - Left Inside Drawer Track
- (T2) 1 - Right Inside Drawer Track
- (C) 6 - ½" Screws

ASSEMBLY NOTES:

Parts & Hardware diagrams not to scale.



** Style of PEGS may vary from shown*

*** The two TOP SHELF RAILS have a larger shelf groove than the other four rails. The TOP SHELF PANEL is thicker than the middle/lower shelf panels.*





STEP 1 - PICTURE 1: Attach the TWO OUTSIDE DRAWER TRACKS (A1 and A2) to the TWO END PANELS (B1, B2) using SIX ½” SCREWS (C) (three screws for each track). Line up the first hole behind the track wheel so that all three screw holes on (B) match up to holes on (A), and the narrower end of (A) lines up with the end of the track board.

STEP 2 - PICTURE 2: Insert the SIXTEEN BLACK PEGS (D) into the peg holes on the ends of the TWO TOP RAILS (E) and the SIX SHELF RAILS (F1, F2). Push the thinner end of the peg into the hole until the wider end is flush with the wood.



STEP 3 - PICTURE 3: Attach ONE TOP RAIL (E), ONE TOP SHELF RAIL (F1), and TWO MIDDLE/LOWER SHELF RAILS (F2) to ONE END PANEL (B2 is shown, but you can begin with B1 if desired) using FOUR 1¾” BOLTS (G). The grooves on the SHELF RAILS (F1, F2) face in and line up with the shelf grooves on the END PANEL (B2).

STEP 4: See PICTURE 4. Repeat Step 3 to attach the remaining TOP RAIL (E), TOP SHELF RAIL (F1), and TWO MIDDLE/LOWER SHELF RAILS (F2) to the END PANEL (B2).



STEP 5 - PICTURE 5: Rest the table on the END PANEL (B2). Insert the TOP SHELF PANEL (H1) and MIDDLE/LOWER SHELF PANELS (H2) into the grooves on the SIX SHELF RAILS (F1, F2) with the white or colored sides (depending on your model) of the shelves facing up. Be sure the shelves are seated into the grooves on all three sides.



PICTURE 5

PICTURE 6

STEP 6 - PICTURE 6: Attach the SECOND END PANEL (B1) to the TWO TOP RAILS (E) and SIX SHELF RAILS (F1, F2) using EIGHT 1 $\frac{3}{4}$ " BOLTS (G).

STEP 7 - PICTURES 7A, 7B and 7C:

Note: This step can also be completed with the table upside down to make it easier.


See PICTURE 7A. Slip one end of the SAFETY BELT (I) between the TOP RAIL (E) and the TOP SHELF RAIL (F1).

See PICTURE 7B. Using the pre-made hole on the SAFETY BELT (I) and the pre-drilled hole on the **underside** of the TOP SHELF RAIL (F1), sandwich the end of the SAFETY BELT (I) between the METAL SUPPORT BAR (J) and the top shelf rail as shown and secure with ONE 5/8" SCREW (K).


See PICTURE 7C. Secure the other end of the SAFETY BELT (I) and the other end of the METAL SUPPORT BAR (J) using the second 5/8" SCREW (K).

STEP 8 - PICTURE 8: NOW YOU WILL ASSEMBLE THE DRAWER!

Take the FOUR METAL PINS (M) and screw them into the pre-installed threaded plastic jackets on drawer parts N, O, and S. Screw in the pins only as deep as their threads.



PICTURE 7A



PICTURE 7B



PICTURE 7C



PICTURE 8

STEP 9 - PICTURE 9: Insert the METAL PINS (M), and the wooden pegs, on the LEFT (N) and RIGHT SIDE PANELS (O) into the holes on the side edges of the BACK PANEL (P). Be sure all of the shelf grooves are lined up. Insert TWO ROUND METAL CAMS (Q) into the holes on the BACK PANEL (P) with the arrows on the cams pointing towards the heads of the metal pins. Turn the cams clockwise using a standard screwdriver until they lock over the heads of the pins. Insert the BOTTOM PANEL (R) into the grooves and be sure it's seated on all three sides.

STEP 10 - PICTURE 10: Repeat the pin and cam procedure from Step 9 to attach the FRONT PANEL (S) to the LEFT (N) and RIGHT SIDE PANELS (O). Be sure the BOTTOM PANEL (R) is properly seated in the grooves on all four sides.

STEP 11 - PICTURE 11: With the drawer upside down, attach the TWO INSIDE DRAWER TRACKS (T1 and T2) to the SIDE PANELS (N, O) using the pre-drilled holes and THREE ½" SCREWS (C) for each track. The wheels on the tracks line up with the back edge of the drawer.



PICTURE 9




PICTURE 10

STEP 12 - PICTURE 12: Insert the drawer into the changing table. Angle the drawer so that you can slide the wheels on the inside tracks (T) over and behind the wheels on the outside tracks (A); then holding the drawer level push it all the way into the table. When properly installed the drawer will glide in and out smoothly and the wheels act as a stopper to keep the drawer from falling out when fully opened.

Place the MATTRESS PAD (L) onto the TOP SHELF (H1) underneath the SAFETY BELT (I).

**YOUR CHANGING TABLE IS ASSEMBLED!
DO NOT USE THIS PRODUCT UNTIL YOU HAVE
REVIEWED THE SAFETY INSTRUCTIONS ON PAGE 2!**

**Remember that you can accessorize this table with up to
four Badger Nursery Baskets (sold separately)!**
Browse our selection at www.badgerbasket.com!



PICTURE 11



PICTURE 12