



# TRANSFORMERS

Project: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Location: \_\_\_\_\_

Contact/Phone: \_\_\_\_\_

## 995 SECONDARY WIRE



### PRODUCT DESCRIPTION

10 Gauge dual core. High strand count reduces voltage drop. Alfa wire is sold by the foot. Specify length when ordering. Example: 10' of 995 Secondary Wire is ordered as 10-995-BLK.

### ORDERING INFORMATION

Model	Hardware Finish	Example
995	BLK	995-BLK
	BLK Black	
	CLR Clear	
	COP Copper	
	WHT White	

## 8060-120V, 8060-277V, 8060-240V 60W CLASS 2 ELECTRONIC SOLID STATE TRANSFORMER



### PRODUCT DESCRIPTION

With thermal protection and RFI suppression. Fits in a standard fixture junction box. For use with the 902QJ MonoPoint. **2 5/8" Length 1 7/16" Width 1" Height**

### ORDERING INFORMATION

Model	Voltage	Example
8060	120V	8060-120V
	120V	
	277V	
	240V	

## 99150 12V 150W REMOTE MOUNT MAGNETIC TRANSFORMER



### PRODUCT DESCRIPTION

12-volt 150 watt single circuit magnetic transformer for remote mounting. Equipped with secondary breaker. 120V input, 12V output. **10" Height 3 5/8" Length 4" Depth**

### ORDERING INFORMATION

Model	Example
99150	99150

## 99106 12V 300W REMOTE MOUNT MAGNETIC TRANSFORMER



### PRODUCT DESCRIPTION

Equipped with 25A secondary breaker. 120V input, 12V output. Available with 277 VAC input. **8 3/4" Length 4 1/4" Width 4" Height**

### ORDERING INFORMATION

Model	Example
99106	99106
99106	
99106-277V-12	

## 99106 12V 300W REMOTE MOUNT MAGNETIC TRANSFORMER



### PRODUCT DESCRIPTION

Equipped with 25A secondary breaker. 120V input, 12V output. Available with 277 VAC input. **6 1/2" Length 3 1/2" Width 3" Height**

### ORDERING INFORMATION

Model	Example
99106-PM	99106-PM

## 99107 12V 2 X 300W REMOTE MOUNT MAGNETIC TRANSFORMER



### PRODUCT DESCRIPTION

Dual 300W outputs. Equipped with 25A secondary breakers. 120V input, 12V output. Available with 277 VAC input. **9 1/2" Length 4 1/4" Width 5" Height**

### ORDERING INFORMATION

Model	Example
99107	99107
99107	
99107-277V-12	

**99107-PM 12V 2 X 300W  
REMOTE MOUNT MAGNETIC  
TRANSFORMER WITH POWER  
MONITORING PROTECTION**



**PRODUCT DESCRIPTION**

Dual 300W outputs. Option contains auto resetting short circuit and overload protection. 120V input, 12V output.  
**7 1/4" Length 4 3/4" Width 4 1/4" Height**

**ORDERING INFORMATION**

Model	Example
99107-PM	99107-PM

**99116 24V 600W REMOTE  
MOUNT MAGNETIC  
TRANSFORMER**



**PRODUCT DESCRIPTION**

Equipped with 25A secondary breaker. 120V input, 24V output.  
**9 1/2" Length 4 1/2" Width 5" Height**

**ORDERING INFORMATION**

Model	Example
99116	99116

**99117 24V 2 X 600W  
REMOTE MOUNT  
MAGNETIC TRANSFORMER**



**PRODUCT DESCRIPTION**

Dual 600W outputs. Equipped with 25A secondary breakers. 120V input, 24V output.  
**10 1/2" Length 6" Width 5 1/2" Height**

**ORDERING INFORMATION**

Model	Example
99117	99117

**99360 3 X 60W (180W)  
CLASS 2 ELECTRONIC  
TRANSFORMER**



**PRODUCT DESCRIPTION**

With 3 separate internal 60W transformers. For use with MonoPoints without internal transformer: 902QJ, 903QJ, and 907QJ. Standard knock-outs for Primary and each Secondary circuit. 120V input, 12V output.  
**5" Length 4 3/4" Width 1 3/4" Height**

**ORDERING INFORMATION**

Model	Example
99360	99360

**99660 6 X 60W (360W)  
CLASS 2 ELECTRONIC  
TRANSFORMER**



**PRODUCT DESCRIPTION**

With 6 separate internal 60W transformers. For use with MonoPoints without internal transformer: 902QJ, 903QJ, and 907QJ. Standard knock-outs for Primary and each Secondary circuit. 120V input, 12V output.  
**8 1/4" Length 4 3/4" Width 1 3/4" Height**

**ORDERING INFORMATION**

Model	Example
99660	99660

**AR151 MONOTRACK 12V  
150W ELECTRONIC  
TRANSFORMER**



**PRODUCT DESCRIPTION**

Surface mounted. Direct power feed. May be used with dimmers designed for use with electronic low voltage transformers. Can be ordered with custom power feed lengths. Consult factory. 120V input, 12V output.  
**4 1/8" Height 5 1/2" Diameter**

**ORDERING INFORMATION**

Model	Hardware Finish	Example
AR151	STN	AR151-STN
AR151	BRZ Vintage Bronze	
	STN Satin Nickel	

**AR301 MONOTRACK 12V  
300W MAGNETIC  
TRANSFORMER**



**PRODUCT DESCRIPTION**

Surface mounted. Direct power feed. Equipped with 25A secondary breaker. De-buzzing coil included. May be used with appropriate dimmer. Can be ordered with custom power feed lengths. Consult factory. 120V input, 12V output.

**4 1/8" Height 8 1/2" Diameter**

**ORDERING INFORMATION**

Model	Hardware Finish	Example
AR301	STN	AR301-STN
	BRZ Vintage Bronze	
	STN Satin Nickel	
	CHR Chrome	

**99005 CABLE SYSTEM 12V  
300W MAGNETIC  
TRANSFORMER**



**PRODUCT DESCRIPTION**

Surface mounted. De-buzzing coil included. May be dimmed with appropriate dimmer. Power taps are on opposite sides of transformer case. Equipped with 25A secondary breaker. 120V input, 12V output.

**3 1/8" Height 8 1/2" Diameter**

**ORDERING INFORMATION**

Model	Hardware Finish	Example
99005	CHR	99005-CHR
	BLK Black	
	CHR Chrome	
	STN Satin Nickel	
	WHT White	

**AR300-24V MONOTRACK  
24V 600W MAGNETIC  
TRANSFORMER**



**PRODUCT DESCRIPTION**

Surface mounted. Direct power feed. Equipped with 25A secondary breaker. Can be ordered with custom power feed lengths. Consult factory. 120V input, 24V output.

**4 1/8" Height 8 1/2" Diameter**

**ORDERING INFORMATION**

Model	Hardware Finish	Example
AR300-24V	STN	AR300-24V-STN
	BRZ Vintage Bronze	
	STN Satin Nickel	
	CHR Chrome	

**99005-24V CABLE SYSTEM  
24V 600W MAGNETIC  
TRANSFORMER**



**PRODUCT DESCRIPTION**

Surface mounted. Power taps are on opposite sides of transformer case. Equipped with 25A secondary breaker. 120V input, 24V output.

**3 1/8" Height 8 1/2" Diameter**

**ORDERING INFORMATION**

Model	Hardware Finish	Example
99005-24V	CHR	99005-24V-CHR
	BLK Black	
	CHR Chrome	
	STN Satin Nickel	
	WHT White	

**AR302 MONOTRACK 12V  
250W ELECTRONIC  
TRANSFORMER**



**PRODUCT DESCRIPTION**

Surface mounted. Direct power feed. May be used with dimmers designed for use with electronic low voltage transformers. Can be ordered with custom power feed lengths. Consult factory. 120V input, 12V output.

**4 1/8" Height 5 1/2" Diameter**

**ORDERING INFORMATION**

Model	Hardware Finish	Example
AR302	STN	AR302-STN
	BRZ Vintage Bronze	
	STN Satin Nickel	

**99170-12V QJS TRACK  
SURFACE MOUNT 12V,  
300W MAGNETIC  
TRANSFORMER**



**PRODUCT DESCRIPTION**

Single or dual direct power feed capable. Includes de-buzzing coil. Equipped with 25A secondary breaker. 120V input, 12V output.

**3 1/8" Height 8 1/2" Diameter**

**ORDERING INFORMATION**

Model	Hardware Finish	Example
99170-12V	NKL	99170-12V-NKL
	BLK Black	
	NKL Nickel	
	WHT White	

**99170-24V QJS TRACK SURFACE MOUNT 24V, 600W MAGNETIC TRANSFORMER**



**PRODUCT DESCRIPTION**

Surface mounted. Direct power feed. Equipped with 25A secondary breaker. De-buzzing coil included. May be used with appropriate dimmer. Can be ordered with custom power feed lengths. Consult factory. 120V input, 12V output.  
**3 1/8" Height 8 1/2" Diameter**

**ORDERING INFORMATION**

Model	Hardware Finish	Example
99170-24V	NKL	99170-24V-NKL
	BLK Black	
	NKL Nickel	
	WHT White	

**CTT23 12V TRANSFORMER ADAPTER FOR 3 WIRE NON-JUNO LINE VOLTAGE TRACK**



**PRODUCT DESCRIPTION**

For use with most non-Juno 3 wire track. Internal electronic 12V transformer. For all QJS fixtures/pendants using the Quick Jack Connector.  
**1 3/4" Height 1 5/8" Width 5 1/8" Length**

**ORDERING INFORMATION**

Model	Hardware Finish	Example
CTT23	BLK	CTT23-BLK
	BLK Black	
	WHT White	

**T537QJ 75W QJS TRANSFORMER ADAPTER FOR 120V TRACK - "BOAT STYLE"**



**PRODUCT DESCRIPTION**

For use with all Juno one and two circuit Trac-Master® & Trac-Lite® systems. Integral electronic 12V transformer. For all QJS fixtures/pendants using the Quick Jack connector.  
**1 3/8" Height 1 1/2" Width 6" Length**

**ORDERING INFORMATION**

Model	Hardware Finish	Example
T537QJ	BL	T537QJ-BL
	BL Black	
	SL Silver	
	WH White	

**T538QJ 75W QJS TRANSFORMER ADAPTER FOR 120V TRACK - "BLOCK STYLE"**



**PRODUCT DESCRIPTION**

Surface mounted. Power taps are on opposite sides of transformer case. Equipped with 25A secondary breaker. 120V input, 24V output.  
**1 3/8" Height 1 1/2" Width 6" Length**

**ORDERING INFORMATION**

Model	Hardware Finish	Example
T538QJ	BL	T538QJ-BL
	BL Black	
	SL Silver	
	WH White	