


DIMENSIONS



DESCRIPTION

The Halo H5 series utilizes a nominal 5" aperture designed to accommodate smaller sized PAR20 and PAR30 halogen lamps. The wide variety of trims available allows a number of different lighting effects to be created with one basic housing. The 5" diameter trim size makes the H5RICAT the right choice for applications where dramatic yet inconspicuous lighting is required in an existing ceiling.

Housing

- Gasketed die-stamped 20 gauge aluminum. Housing will slip through 5 1/2" ceiling opening. Integral flange secures fixture against ceiling. Housing accommodates a wide range of Halo 5" trims. Torsion springs on all trims for quick and easy installation.
- Housing has Air-Tite gasket pre-installed for ASTM-E283 compliance.

Remodel Clips

Four remodel clips secure

housing and accommodate 1/2" and 5/8" ceiling material.

Junction Box

U.L. listed for through branch circuit wiring. Seven conduit knockouts are uniform 1/2" size with true pryout slots. Four Romex pryouts simplify Romex installation.

"Quick Connect" Connectors

Three "Quick Connect" connectors eliminate need for separate wire nuts - simply strip supply wires and push in

Socket

Porcelain socket with nickel plated brass screw shell, snaps into trim for consistent lamp positioning. Shipping insert protects socket from overspray.

Thermal Protector

Integral Thermal Protector deactivates fixture if an incorrect lamp is used or if ceiling insulation material is not applied correctly.

Trims

- Housing accommodates a wide range of Halo 5" trims. Torsion springs on all trims for quick and easy UL/cUL Listed installation.
- Fixed socket bracket aligns socket for consistent lamp position.

Labels

- UL/cUL/cUL listed
 - Damp Location Listed
 - UL/cUL listed for Feed Through
 - UL/cUL listed for Direct Contact with Insulation and combustible material
- Meets following requirements:
- Washington State Energy Code
 - International Energy Conservation Code (IECC)
 - State of California Title 24 Low Efficacy luminaire IC and AT requirement
 - New York State Energy Conservation Construction Code
 - Certified under ASTM-E283 for air tight construction.

**H5RICAT**

5" Aperture
IC AIR-TITE
Remodel Housing

RECESSED DOWNLIGHTING

- IC AIR-TITE™ Housing
- AIR-TITE housing prevents airflow between attic and living areas
- Can be installed from below the ceiling

**GA-ATH5-6PK**

6-pack H5ICAT Air-Tite™ gaskets

A housing gasket is the final step in completing an air-tight, code-compliant installation. Halo makes this final step simple by including an AirTite™ gasket in each housing to complete the final installation of the can opening. Should the gaskets be lost or discarded during the rough-in phase of installation these replacement kits are available.


H5ICAT H5RICAT H25ICAT

5020

Reflector Cone

- Straight Sided Trim Ring
- Torsion Springs pull trim tight to ceiling
- Dual Socket Position for BR and PAR
- Lamps


H5ICAT	60W BR30, 75W PAR30
H5RICAT	50W PAR30, 50W PAR30L, 60W BR30



5020P White Trim with White Reflector
5020H White Trim with Haze Reflector
5020SC White Trim with Clear Specular Reflector Cone



5020SN Satin Nickel Trim with Satin Nickel Reflector
5020BL White Trim with Black Specular Reflector
5020RG White Trim with Gold Reflector




5020TBZ Tuscan Bronze with Tuscan Bronze Reflector
5020AC Antique Copper with Antique Copper Reflector

5021

Full Reflector

- Straight Sided Trim Ring
- Torsion Springs pull trim tight to ceiling
- For use with A-Lamps
- Lamps:

H5ICAT	40W A19
H5RICAT	



5021RG White Trim with Gold Reflector
5021H White Trim with Haze Reflector
5021SC White Trim with Clear Specular Reflector

OT500P

Oversize Trim Ring

- Fits the new H5 trim family "Precision style" trim rings
- Oversize trim ring corrects for uneven ceiling cutout
- Adds 3/8" onto the trim flange
- Satin White plastic Ring




OT500P Oversize Trim Ring for Straight precision sided H5 family trim

5001 Metal Baffle Splay

- Straight Precision Sided Trim Ring
- Torsion Springs pull trim tight to ceiling
- Dual socket position for use with BR and PAR Lamps
- Lamps

H5ICAT	50W R20, 50W PAR20, 65W BR30, 75W PAR30
H5RICAT	30W R20, 35W PAR20, 60W BR30, 50W PAR30, 50W PAR30L



5001SN
Satin Nickel Trim with Satin Nickel Baffle

5001MB
White Trim with Black Baffle

5001P
White Trim with White Baffle




5001TBZ
Tuscan Bronze Trim with Tuscan Bronze Baffle

5001AC
Antique Copper Trim with Antique Copper Baffle

5010 Step Baffle

- Straight Precision Sided Trim Ring
- Torsion Springs pull trim tight to ceiling
- Dual Socket Position for BR and PAR Lamps
- Lamps:

H5ICAT	60W BR30, 50W PAR30
H5RICAT	60W BR30, 50W PAR30, 50W PAR30L



5010SL
Silver Trim with Black Baffle


5010W
White Trim with White Baffle

5010
White with Black Baffle

5014 Shallow Metal Baffle

- Straight Precision Sided Trim Ring
- Torsion springs pull trim tight to ceiling
- Lamps:

H25ICAT	50W PAR30, 65W BR30, 75W PAR30L
----------------	---------------------------------



5014MB
White Trim with Black Baffle

5014P
White Trim with White Baffle

OT500P Oversize Trim Ring

- Fits the new H5 trim family "Precision style" trim rings
- Oversize trim ring corrects for uneven ceiling cutout
- Adds 3/8" onto the trim flange
- Satin White plastic Ring




OT500P
Oversize Trim Ring for Straight precision sided H5 family trim

H5ICAT H5RICAT H25ICAT

5016 Coilex® Baffle with Reflector and Torsion Springs

- Straight Precision Sided Trim Ring
- Torsion Springs pull trim tight to ceiling
- Dual Socket Position for BR and PAR Lamps
- Lamps:




5016W
White Trim with White Baffle

5016P
White Trim with Black Baffle

H5ICAT	50W PAR30, 65W BR30, 75W PAR30L
H5RICAT	

5060 Adjustable Gimbal - 20° Tilt

- Straight Precision Sided Trim Ring
- For Directional Accent Lighting
- Torsion Springs pull trim tight to ceiling
- 20° Tilt - 360° Rotation
- Lamps:




5060P
White Trim with White Gimbal

H5ICAT	50W PAR30
H5RICAT	
H25ICAT	50W PAR30, 50W R30

5070 Adjustable Eyeball - 30° Tilt

- Straight Precision Sided Trim Ring
- For Directional Accent Lighting
- Torsion Springs pull trim tight to ceiling
- 30° Tilt - 360° Rotation

H5ICAT	75W PAR30
H5RICAT	
H25ICAT	



5070SL
Silver Trim with Silver Eyeball

5070PB
Polished Brass Trim with Polished Brass Eyeball

5070P
White Trim with White Eyeball



5070TBZ
Tuscan Bronze Trim with Tuscan Bronze Eyeball

5070AC
Antique Copper Trim with Antique Copper Eyeball

5070SN
Satin Nickel Trim with Satin Nickel Eyeball

OT500P Oversize Trim Ring

- Fits the new H5 trim family "Precision style" trim rings
- Oversize trim ring corrects for uneven ceiling cutout
- Adds 3/8" onto the trim flange
- Satin White plastic Ring




OT500P
Oversize Trim Ring for Straight precision sided H5 family trim

H5ICAT H5RICAT H25ICAT

5071 Adjustable Eyeball - 30° Tilt

- Straight Precision Sided Trim Ring
- For Directional Accent Lighting
- Torsion Springs pull trim tight to ceiling
- 30° Tilt - 360° Rotation
- Lamps:




5071P
White Trim with White Eyeball

H5ICAT	50W R20, 50W PAR20
H5RICAT	
H25ICAT	

5000 Splay Trim

- Open metal Splay Trim
- Dual Socket position socket for BR and PAR lamps
- Lamps:


H5ICAT	65W BR30, 75W R30, 75W PAR30
H5RICAT	50W PAR30, 75W PAR30L, 60W BR30
H25ICAT	60W BR30, 50W PAR30, 50W PAR30L



5000AC
Antique Copper Trim and Antique Copper Splay

5000SN
Satin Nickel Trim and Satin Nickel Splay

5000P
White Trim and White Splay



5000TBZ
Tuscan Bronze Trim and Tuscan Bronze Splay

OT500P Oversize Trim Ring

- Fits the new H5 trim family "Precision style" trim rings
- Oversize trim ring corrects for uneven ceiling cutout
- Adds 3/8" onto the trim flange
- Satin White plastic Ring



OT500P
Oversize Trim Ring for Straight precision sided H5 family trim


H5ICAT H5RICAT H25ICAT

5054

Shower Light

- Frosted glass dome shower light
- Wet location listed
- Non conductive, non corrosive polymer trim ring
- Lamps:

H5ICAT H5RICAT H25ICAT	40W A19, 50W PAR30
---------------------------------------	--------------------



5054ACS
Antique Copper with Frosted Diffuser

5054SNS
Satin Nickel Trim with Frosted Diffuser

5054PS
White Trim with Frosted Diffuser




5054TBZS
Tuscan Bronze with Frosted Diffuser

5051

Frosted Lens Shower Light

- Straight Sided Trim Ring
- Frosted albalite lens
- Wet location listed for use in showers
- Lamps:

H5ICAT H5RICAT	35W PAR30L
---------------------------	------------



5051PS
White Trim with Frosted Lens

OT500P

Oversize Trim Ring

- Fits the new H5 trim family "Precision style" trim rings
- Oversize trim ring corrects for uneven ceiling cutout
- Adds 3/8" onto the trim flange
- Satin White plastic Ring



OT500P
Oversize Trim Ring for Straight precision sided H5 family trim